


In the Claims

Please amend claims 25, 27 and 29 as follows.

25. (Amended four times) A compound of the formula:



wherein X is -O-, -S-, -NH-, or [-N-R₂] -N-R₂;


p is 1 or 2;

Y is hydrogen, Cl, Br, or F when p is 1;

Y is lower alkoxy [or halogen] when p is 2 and X is -O-;

R₂ is selected from the group consisting of lower alkyl, aryl lower alkyl, aryl, (C₃-C₁₀) cycloalkyl, aroyl, (C₂-C₁₁) alkanoyl, and [phenyl sulfonyl]
phenylsulfonyl groups;

aryl is phenyl or



wherein R₅ is hydrogen, lower alkyl, lower alkoxy, hydroxy, chlorine, fluorine, bromine, iodine,

Group Art Unit 1624
Reissue Application No. 09/708,475

February 12, 2004
Attorney Docket No. P25,984-A REI

lower monoalkylamino, [lower dialkylamino,
nitro, cyano, trifluoromethyl, or trifluoromethoxy;

n is 2, 3, or 4;

R is hydrogen, C₁-C₃ alkyl, C₁-C₃ alkoxy, hydroxyl, [acyl, (C₂-C₁₁) alkanoyl,] Cl, F, Br, I, amino, C₁-C₃ mono- or dialkylamino, acylamino, -NO₂, -OCF₃, -CF₃, -C(=O)-alkyl, or -CH(OR₇)-alkyl;


alkyl is lower alkyl;

R₇ is hydrogen, lower alkyl, or acyl; and

m is 1, 2, or 3;

with the exclusion of compounds wherein X is -O- or -S-, Y is hydrogen, and R is
hydrogen, C₁-C₃ alkyl, chlorine, fluorine, bromine, iodine, or C₁-C₃ alkoxy;
with the exclusion of compounds wherein X is -S-, R is H, and m=1;
or a pharmaceutically acceptable acid addition salt thereof.

27. (Amended four times) A compound of the formula:



wherein X is -S-;

p is 1 [or 2];

Y is hydrogen, Cl, Br, or F[, when p is 1];

[Y is lower alkoxy or halogen when p is 2;]

n is 2, 3, or 4;

R is hydrogen, C₁-C₃ alkyl, C₁-C₃ alkoxy, hydroxyl, [acyl, (C₂-C₁₁) alkanoyl,] Cl, F, Br, I, amino, C₁-C₃ mono- or dialkylamino, acylamino, -NO₂, -OCF₃, -CF₃, -C(=O)-alkyl, or -CH(OR₇)-alkyl[.];

alkyl is lower alkyl;

R₇ is hydrogen, lower alkyl, or acyl; and


m is 1, 2, or 3;

with the exclusion of compounds wherein Y is hydrogen and R is hydrogen, C₁-C₃ alkyl, chlorine, fluorine, bromine, iodine, or C₁-C₃ alkoxy;

with the exclusion of compounds wherein R is H, and m=1;

or a pharmaceutically acceptable acid addition salt thereof.

29. (Amended five times) A compound of the formula:



wherein X is -N-R₂;

p is 1 [or 2];


Y is hydrogen, Cl, Br, or F[, when p is 1];

[Y is lower alkoxy or halogen when p is 2;]

Group Art Unit 1624
Reissue Application No. 09/708,475

February 12, 2004
Attorney Docket No. P25,984-A REI

R₂ is selected from the group consisting of lower alkyl, aryl lower alkyl, aryl, (C₃-C₁₀) cycloalkyl, aroyl, (C₂-C₁₁) [aroyl,] alkanoyl, and phenylsulfonyl groups;
aryl is phenyl or



wherein R₅ is hydrogen, lower alkyl, lower alkoxy, hydroxy, chlorine, fluorine, bromine, iodine, lower monoalkylamino, [lower dialkylamino,] nitro, cyano, trifluoromethyl, or trifluoromethoxy;

n is 2, 3, or 4;

R is hydrogen, C₁-C₃ alkyl, C₁-C₃ alkoxy, hydroxyl, [acyl, (C₂-C₁₁) alkanoyl,] Cl, F, Br, I, amino, C₁-C₃ mono- or dialkylamino, acylamino, -NO₂, -OCF₃, -CF₃, -C(=O)-alkyl, or -CH(OR₇)-alkyl[,];

alkyl is lower alkyl;

R₇ is hydrogen, lower alkyl, or acyl; and

m is 1, 2, or 3;

or a pharmaceutically acceptable acid addition salt thereof.